

Fittings for iron pipe



Data sheet LINE 2100

Repairing fittings



Contents

DESCRIPTION	3
ADVANTAGES	3
FIELDS OF APPLICATION	4
REGULATIONS	5
CERTIFICATIONS	5

LINE 2100

Repairing fittings

**DESCRIPTION**

Repairing fittings of LINE 2100 are made entirely of high quality CW617N brass. They are suitable for hot and cold water in sanitary and heating installations and in any kind of sanitary installation such as domestic, commercial, industry and farming, and with any type of non-corrosive fluid.

ADVANTAGES

- Quick and safe installation
- CW617N brass complying with EN 12165 standard
- Raw materials complying with UBA LIST

FIELDS OF APPLICATION

APPLICATIONS		T. min.	Max temp.	Max. pressure
	drinking water	-20°C	+100°C	10 bar
	hot sanitary water	-20°C	+100°C	10 bar
	cooling	-20°C	+100°C	10 bar
	radiators	-20°C	+100°C	10 bar
	irrigation	-20°C	+100°C	10 bar
	compressed air	-20°C	+100°C	10 bar
	-20°C: with the use of glycol in a maximum percentage of 30%			

REGULATIONS

- UNI EN 1254-4

The fittings comply with standard UNI EN 1254-4: 'Copper and copper alloys - Plumbing fittings - Part 4: Threaded fittings'.

- UNI EN ISO 228-1

Threads complies with UNI EN ISO 228-1 law: "Piping thread for coupling not with tightness on the thread".

- D.M. 174 (06/04/2004)

Raw materials used are of high quality and comply with the Ministerial Decree N°174 dated 06/04/2004 concerning the materials and the items used in fixed installations for water collection, treatment and supply.

- Comply with 4MS, UBA List (BC group), DIN 50930/6 Dir. 2011/65/UE, 6C attachment III (RhOSII).

- UNI EN 10255

Non-Alloy steel tubes suitable for welding and threading - Technical delivery conditions.

CERTIFICATIONS

COUNTRY	CERTIFICATION	COUNTRY	CERTIFICATION	COUNTRY	CERTIFICATION
					
					
					



GENERAL FITTINGS SPA

Via Golgi 73/75, 25064 Gussago (BS) - ITALY

te. +39 030 3739017

www.generalfittings.it