



**IDROS**

Technical data sheet

Washing machine taps

---

# Contents

DESCRIPTION	3
FIELDS OF APPLICATION	3
COMPONENTS AND MATERIALS	3
REGULATIONS	4

## WASHING MACHINE TAPS

# IDROS



### DESCRIPTION

Chromed brass ball tap with washing machine connection for hot and cold water supply in plumbing and sanitary systems.

### FIELDS OF APPLICATION

APPLICATIONS		T. min.	T. max	Max. pressure
	drinking water	+5°C	+90°C	10 bar
	hot sanitary water	+5°C	+90°C	10 bar

### COMPONENTS AND MATERIALS

COMPONENTS	MATERIALS
Stem	Brass CW617N - UNI EN 12164
Body	CW617N - UNI EN 12165 chromed
Ball	CW617N UNI-EN 12164 nickel plated
Stem O-Ring	Elastomer
Lever	ZAMAK
Ball O-Ring	Elastomer
Rosette	Stainless steel

## REGULATIONS

- D.M. 174 (06/04/2004)

Raw materials used are of high quality and comply with the Ministerial Decree N°174 dated 06/04/2004 concerning the materials and the items used in fixed installations for water collection, treatment and supply.

- UNI EN ISO 228-1

Threads complies with UNI EN ISO 228-1 law: "Piping thread for coupling not with tightness on the thread".

- Comply with 4MS, UBA List (BC group), DIN 50930/6 Dir. 2011/65/UE, 6C attachment III (RhOSII).



GENERAL FITTINGS SPA

Via Golgi 73/75, 25064 Gussago (BS) - ITALY

te. +39 030 3739017

[www.generalfittings.it](http://www.generalfittings.it)